



Pipe Hanger Product Cross Reference

Anvil	Superstrut	B-Line	Tolco	Erico	PHD	AFCON	C&P	Shaw	Persing	Empire
14	–	B3040	336	363	635	–	14	–	–	159
46	–	–	–	–	–	–	–	–	–	–
47	–	B3084	33	–	–	–	–	234	–	–
49	–	B3086	34	374	904	–	–	235	–	–
52	–	B3085	35	374A	903	–	–	236	–	–
54	–	–	–	–	–	–	–	–	–	–
55	–	B3080	343	371	936	–	216, 220	233	–	–
60	C781	B3248	118	340	930	962	260	–	–	–
62	–	–	–	–	–	–	–	–	–	–
63	–	B3088	316	730	871T	–	375	–	–	830
65	CL710	B3104	1LD	410	440	370	200	200	–	110
66	C780	B3083	304, 305	320L, 320W	900-1	–	113A, 113B	–	–	–
67	C711	B3690	3	418	970	–	–	–	–	–
69	C727NFPA	B3170NF	2NFPA	115	141	300	800	–	–	310
86	M775L	B3036L	–	255L	270	–	193	–	–	23L
87	–	B3036 w/ B3363	–	–	270-1 w/ 259	–	–	–	–	–
88	M775	B3036	–	255	270-1	–	–	–	–	23
89	–	B3362-B3365	69R	255C	259	162	22 (5/8-7/8)	–	–	21R
89X	–	3367	69	300C	359	160	–	–	35S	–
92	M777 ¹	B3031	65	300	350	100	192 (3/8-1/2)	–	37	–
93	M778-B ¹	B3033 ³	66,68	310	360	105	–	–	37	–
94	–	B3033	–	–	360	–	192 (5/8-3/4)	–	–	61
95	C775-L	B351L	64	200	250	120	47	–	503	21L
97	–	–	–	–	–	–	–	–	–	–
97C	–	–	–	–	–	–	–	–	–	–
100	CX725	B3149	8	705	545	–	267	–	–	97
103	C720L	B3148 ⁴	7	700	535	–	179	–	–	95
104	–	B3171	–	111	505	–	240	–	–	–
108	–	B3173	303	–	500	–	34	–	–	–
110R	M1171	B3222	307	47	30	–	12	198	–	–
112	–	–	910	335	890	–	–	–	–	–
113	–	–	–	–	890	–	–	–	–	–
114	–	B3224	306	–	44, 114	–	38	–	–	114
120	HL115	B3501	111	–	95	241	137	–	140	37
126	–	B2302 ²	–	7*	835	–	237	–	–	126
127	–	–	–	–	–	–	182P	–	–	–
128	–	–	–	–	940-1	–	–	–	–	43A
128R	M742R	B3199	78	365M*	940	–	–	–	–	41A-BT
133	C-755T	B3050-2	62	361	610	150	15, 702	304	95	150-1
134	C-757T	B3050-5	62	–	620	150	–	–	95	150-2
135	–	–	71	–	–	–	123W	191	–	–
135E	H119	B655	70	25*	100	930	123	–	119	51

NOTE: This reference guide is for the product application only. Products may not be identical in shape and dimensions.

* Not exact equal. Consult Anvil International.

1. Loading is not the same as competitors.
2. Material to make part is different.
3. Not exactly the same design.
4. Not exactly the same size.
5. Not stocked.

Anvil	Superstrut	B-Line	Tolco	Erico	PHD	AFCON	C&P	Shaw	Persing	Empire
135R	H119R	B656	70R	25R	105	933	123R	–	119RC	51-R
136	–	B3220	–	–	100*	–	167	–	–	–
136R	–	–	–	–	105	–	167R	–	–	–
137	H115	B3188	110	150	90	240	283	137H	130	137
137-C	H115P	B3188C	–	151	93	–	–	137HC	–	137PC
137-S	–	–	–	–	90S	–	–	–	–	–
138	–	–	–	–	508	–	81	–	–	–
138R	M718	B3198H	302	455	508R	350	–	–	11	41BT-H
140	–	B3205	103	–	15	660	133	185	–	57
142	E151	B3213	105	41	40	920	–	180	–	55
146	H104	–	100	50	20	650	94	169	263	54
152	–	–	–	–	–	–	–	–	–	–
153	–	–	–	–	–	–	185	–	–	–
157	M129	B3203	333	26	25	–	157	–	–	157
160	C789	B3160	260-1	630	651	–	351	286	–	1900
161	C789A	B3161	261 (1½)	631	653	–	352	285	–	1901
162	C789B	B3162	262 (2)	632	654	–	–	–	–	1902
163	C789C	B3163	263 (2½)	633	655	–	–	–	–	1903
164	C789D	B3164	264 (3)	634	656	–	–	–	–	1904
165	C789E	B3165	265 (4)	635	658	–	–	–	–	1905
165A	–	B3165SS	–	–	–	–	–	289	–	–
166A	–	–	–	–	–	–	–	290	–	–
167	C-790	B3151	220	125	170	–	265P	200	–	167
168	–	B3153	219	–	160	–	–	–	–	–
171	RC729A	B3114	322	605	480	–	142	181	–	277
175	CR729A	B3120	325	615	460	–	54	134	–	275
177	RC729B	B3122	326	620	480	–	109	195	–	277
178	–	B3264	500 ⁵	625	–	–	478	–	–	–
181	C729	B3110	324	610	470	–	140	183	–	272
191	–	B3092	313	724	880	715	–	–	–	–
192	–	B3096	312	722	–	710	–	–	–	422
194	C736	B3063	30	348	850	775	49, 69, 150	40	151	820
195	C739M	B3066	30M	352	855	776	–	–	–	801
199	C739H	B3067	30H	353	860	777	–	–	–	802
202	M750	B3062	–	327	–	–	337	–	–	202
206	540	B3060	50	325	920	560	–	–	57	53
207	–	B3058	56	328	907	555	–	–	–	–
212	C725	B3140	4	450	520	415	175	123	345	212
212FP	–	–	4A	–	–	410	–	–	–	–
216	–	B3142	4H	451	522	–	298	123H	–	216
217	C769	B3045	335	–	–	–	18	–	–	–
218	M732	B3054	329	360	630	–	82	–	–	218
224	–	–	–	–	–	–	–	–	–	–
227	–	B3042 ³	60	–	–	140	–	–	–	–
228	M732-H	–	–	–	–	–	293	–	–	–
230	F112	B3202	331	30	960	–	132	412	–	320
248	E156	B3210	102	40	50	680	33	130	74	26
248L	E156L	B3210L	–	–	50-L	–	–	130L	–	–
248X	–	B3210X	102L	–	–	–	306	167X	–	–

NOTE: This reference guide is for the product application only. Products may not be identical in shape and dimensions.

* Not exact equal. Consult Anvil International.

1. Loading is not the same as competitors.
2. Material to make part is different.
3. Not exactly the same design.
4. Not exactly the same size.
5. Not stocked.

Anvil	Superstrut	B-Line	Tolco	Erico	PHD	AFCON	C&P	Shaw	Persing	Empire
253	–	B3205L	103L	–	15-L	–	133	185A	–	57
255	PG794	B3281-B3287 ³	420-2	651	670-8	–	1007S,R,L	–	–	255
256	–	B3281-B3287 ³	420	650	–	–	–	–	–	–
257	–	B3893-B3897	426, 431	640	690	–	–	–	–	–
257A	–	B3891	–	–	–	–	–	–	–	–
258	C786	B3095 ^{2,3}	317	720	880	700	–	–	–	421
259	C785	B3090 ^{2,3}	318	721*	882	705	–	–	–	–
260	C710	B3100	1	400	450, 451	371	100	121	200	11
261	C720	B3373	6	510	550,551	400	126	138	300	50
262	C708	B3180	20	470	830	500	72	124	–	180
264	C786	B3093	319	723*	875	–	–	–	–	426
271	S730C	B3117SL ^{2,3}	327	617*	486	–	17	182	–	279
274	S730D	B3118SL ^{2,3}	328	619*	487	–	40, 53	194	–	280
274P	–	B3118SL ^{2,3} Base	–	–	–	–	–	–	–	280S
275	–	B3117SL ^{2,3}	–	–	–	–	–	–	–	–
277	–	B3119SL ^{2,3}	–	–	–	–	63	197	–	–
277S	–	B3119SL Base	–	–	–	–	–	–	–	–
278	E157	B3211	101	–	55	–	93	130W	–	26-W
278L	E157L	B3211L	–	–	55L	–	–	130WL	–	–
278X	–	B3211X	101L	–	–	–	341	167XW	–	–
281	452 ³	B2502-B2508 ³	–	355	–	–	75, 650	–	–	81
282	–	B3014, B3014N	309	–	–	–	108	–	–	–
285	452 ³	B2500 ³	310	–	950, 951	–	–	–	–	–
290	E120	B3200	330	35	35	–	279	411	–	–
290L	E120L	B3200L	–	–	35-L	–	279	411L	–	–
292	M-732H	B3291-B3298	–	–	–	–	297	–	–	450R
292L	–	–	–	–	–	–	–	–	–	450L
295	C726	B3144	5	452	525	–	304	295H	–	189
295A	A726	B3144 SS4	–	–	–	–	–	–	–	189-A
295H	–	B3146	5H	453	525H	–	–	–	–	189-H
299	F111	B3201	332	31	38	–	216, 276	413	–	909
300	CX710	B3108	1A	415	430	–	100EL	121L	–	11-X
395	–	–	–	–	–	–	–	–	–	–
436A	–	–	426	–	–	–	–	–	–	–
590	CI710 ¹	B3102	IC.1	405	420	–	100CI	–	–	11-CI
594	W724H	B3134W ²	14X	–	595	856	–	–	–	594
595	C724H	B3134	14	–	590	855	–	–	–	595
599	W724	B3132W ²	9X	516	585	851	–	–	–	599
600	C724	B3132	9	517	580	850	–	–	–	600
CT-65	CTL710	B3104CT	81	402	442	–	–	–	–	110-CT
CT-69	CT727	B3170CT	202	101	152	–	800CT	–	–	310-CT
CT-99	–	B3170CT ³	–	101*	152*	–	–	–	–	–
CT-99C	–	B3170CTC ³	–	102A*	154*	–	–	–	–	–
CT-109	–	B3173CT	–	–	502	–	34CT	–	–	46CT
CT-121	CT720	B3373CT	82	511	552	–	126CT	–	–	50CT
CT-128R	MT-742R ²	B3199CT	–	365MCP	942	–	85CT	–	–	41-A-CT
CT-138R	MT718	B3198HCT	301CT	456	512	–	81CT	–	–	41-CT-H
CT-255	–	–	422C ³	–	–	–	–	–	–	–

NOTE: This reference guide is for the product application only. Products may not be identical in shape and dimensions.

* Not exact equal. Consult Anvil International.

1. Loading is not the same as competitors.
2. Material to make part is different.
3. Not exactly the same design.
4. Not exactly the same size.
5. Not stocked.



Corporate Offices
110 Corporate Drive, Suite 10 • P.O. Box 3180
Portsmouth, NH 03802-3180
Tel: 603-422-8000 • Fax: 603-422-8033
E-mail address — Webmaster@anvilintl.com
www.anvilintl.com

For Sales and Service Information Contact the Regional Service Center Nearest You or Visit Our Website at www.anvilintl.com

U.S. Regional Service Centers

NORTHEAST REGION

Servicing: Connecticut, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, East Pennsylvania, Rhode Island, Vermont, Virginia

2530 Pearl Buck Road
Bristol, PA 19007
Tel: 215-788-4056 • Fax: 215-788-4475
Toll Free: 1-800-451-2935

MIDWEST REGION

Servicing: Illinois, Indiana, Iowa, Kansas, Kentucky, Michigan, Minnesota, Missouri, Nebraska, North and South Dakota, Ohio, West Pennsylvania, West Virginia, Wisconsin

750 Central Avenue
University Park, IL 60466
Tel: 708-534-1414 • Fax: 708-534-5441
Toll Free: 1-800-301-2701

SOUTHERN REGION

Servicing: Alabama, Arkansas, Colorado, Florida, Georgia, Louisiana, Mississippi, New Mexico, North and South Carolina, Oklahoma, Tennessee, Texas, Wyoming

1313 Avenue R
Grand Prairie, TX 75050
Tel: 972-343-9206 • Fax: 972-641-8946
Toll Free: 1-800-451-4414

WESTERN REGION

Servicing: Alaska, Arizona, California, Hawaii, Idaho, Montana, Nevada, Oregon, Utah, Washington

1385 Greg Street
Sparks, NV 89431
Tel: 775-331-7029 • Fax: 775-331-5075
Toll Free: 1-800-572-0051

EUROPE & MIDDLE EAST REGION

Rick van Meesen, *Business Director*
the Netherlands
Tel: +31 53 5725570
Fax: +31 53 5725579
U.S. Customer Service Tel: +1 708 534 1414

LATIN AMERICA, PUERTO RICO & MEXICO

Art Gutierrez, *Sales Manager*
Tel: 813-300-3721
U.S. Customer Service
Tel: 708-534-1414 • Fax: 708-534-5441

ANVILStar™

Fire Products Division of Anvil International

ANVILSTAR CUSTOMER SERVICE CENTER

Tel: 708-534-1414 • Fax: 708-534-5441
Toll Free: 1-800-301-2701